

Receiving Report

Date: 12/8/9
 Supplier: COOJVE

Batch No: MP2665
 Dart P/O: 17606

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☐

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☐ No ☒ N/A ☐
 Shipment Complete: Yes ☒ No ☐ N/A ☐
 QC6 Inspection ☒ N/A ☒
 Work Order 10-12/6/13

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12

Production/Admin: 12/8/00
 Date
 Received/Costing
 Initial

Location

Purchase Order Receipt Listing

Friday, August 10, 2012 8:28:16 AM

All amounts are calculated in domestic currency.

All Line Item Types

All Vendors	PO ID PO17606	Receipt Dates from 8/10/20
All Item ID/GL/WOs	All Rec. Employees	All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Reject Qty	Book Amt
Vendor ID/Vendor Name		VC-MET001	Metaux Caslle								\$658.46
PO17606	2		M304B0.75OX2.50 f	f	8/10/2012- 8/10/2012		26.0000	\$25.33	0.0000	0	
CAD	No		304 BAR .750 X 2.50 f	f	24.0000 DESI02			\$658.46	0.0000	0	
			122665								
									Total Received Quantity:		26.0000
									Total Qty to Inspect (PO U/M):		0.0000
									Total Reject Quantity:		0.0000
									Total Receipt Value:		\$658.46
									Total Balance Due Quantity:		0.0000



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No: 1421016

Ship From: A. M. Castle & Co. (Canada) Inc. MONTREAL 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
Date Shipped 08-AUG-2012	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier MANITOULIN	BOL No 1421016-2			

Final Destination Branch - MON

Shipment Details

Order No 2346303	Line No 1	Item No 5062	Description 0.7500.2.5000.FLAT.304.STAINLESS.HR.ANN.PICKLE.132.0000-156 .0000 SPECIFICATIONS: AMS			
Purchase Order No PO17606	Part Number		Ordered Qty 24.00 FT	Invoice Qty 26.0000 FT		
Details	Mill VALBRUNA CORPORATION	Heat Number 252919	Mech Id 2	Width (IN)	Length (IN) 156.0000	Shipped Qty(LBS) 165.7500
Delivery No. 117848934						

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date:

Name:

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.

Date Printed: 08-AUG-2012 02:32:26 PM

Acciaierie Valbruna S.p.A.

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Clienti / Besteller/Purchaser/Client
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: ACCIAIERIE VALBRUNA S.P.A.
Hersteller/Usine producteur

Stato di fornitura: Descaled Annealed Hotrolled
Lieferzustand/Delivery state/Etat de livraison



CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2005) , 3.1

Avviso di Spedizione: D-VI11009851
Lieferanzüge/Packing list/B.L.

Ordine nr: 29793 STOCK CAROL STR
Bestell/Vour order/Commande

Tipo di Elaborazione: E+AOD
Erschmelzungst/Mehting process/Mode d'elaboration

Certificato nr: MEST032120/2011/
Prüfung/Test/Essai

Conferma ordine nr: EI11002595
Werkz/Our Order/Ref nr.

Marchio di Fabbrica:
Zeichen des Lieferwerkes
Trade mark
Sigle de l'usine productrice



Funzione del Collaudatore:
Stempel des Werksachverständigen
Inspector's stamp/Poligon de l'essayeur

Sono state soddisfatte tutte le condizioni richieste
Die gestellten Anforderungen sind erfüllt
The material has been finished in accordance with the requirements
Le matériel a été livré conforme aux exigences

Controllo antimiscelazione: OK
Verwechslungsprüfung: zufriedenstellend durchgeführt
Antimixing testing performed: OK
Contrôle antimezange fait: r.s.s.

Controllo visivo e dimensionale: soddisfa le esigenze
Beachtung und Ausmessung: ohne Beanstandung
Visual inspection and dimensional check satisfactory
Contrôle visuel et dimensionnel satisfaisant

Melted and manufactured in Italy No welding or weld repair

Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1, s. 4.3 by TUEV and LLOYD'S

Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

Castle Metals FP

HEAT NUMBER 252919
MECHANICAL ID _____
ITEM CODE 5062
LOT NUMBER _____
PO NUMBER 115323
RECEIPT DATE 5/31/11
SUPPLIER Valbruna
SPECIFICATION _____
LCS _____
COMMENT _____
APPROVED [Signature]

Acciaierie Valbruna S.p.A.



CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2005) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Destinatario/Purchaser/Client
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: ACCIAIERIE VALBRUNA S.P.A.
Hersteller/Hersteller/Usine productrice

Stato di fornitura: Descaled Annealed Hotrolled
Lieferzustand/Delivery state/Etat de livraison

Avviso di Spedizione: D-VI11009851
Lieferanweisung/Packing list/B.L.

Ordine nr: 29793 STOCK CAROL STR
Bestell/Your order/Commande

Tipo di Elaborazione: E+AOD
Erzeugnisart/Manufacturing process/Mode d'elaboration

Certificato nr: MEST032120/2011/
Prüfung/Test/Essai

Conferma ordine nr: E111002595
Werk/Our Order/Ref. nr.

Marchio di Fabbrica:
Zeichen des Werkschwermetals
Trade mark
Sole de l'usine productrice

Punzone del Collaudatore:
Stempel des Werkssachverständigen
Inspector's stamp/Pointon de l'essayeur



Specifiche:
Anforderungen / Requirements / Exigences

VSI 0 304/304L A
AMS-QQ-S-763 B 304/304L A
ASME SA278 2010 S30400/03 A (2)
ASTM A182 2010A S30400/03 A (5)
ASTM A276 2010 S30400/03 A
ASTM A370 2010
MIL-S-862 B/1 304/304L

AMS 5639 H S30400 A
ASME SA182 2010 S30400/03 A (0)
ASME SA320 2010 B8 CLASS1 (3)
ASTM A193 2010A B8 CLASS1
ASTM A314 2008 S30400/03
ASTM A473 2001 S30400/03 (8)
NACE MR0175* 2003 S30400/03 A (7)

AMS 5647 H S30403 A
ASME SA193 2010 B8 CLASS1 (1)
ASME SA479 2010 S30400/03 A (4)
ASTM A262 2010 PRACTICE E
ASTM A320 2010 B8 CLASS1
ASTM A479 2010A S30400/03 A
QQ-S-763 F 304/304L A

(0) SEC.II PT.A 2010 EDITION
(1) SEC.II PT.A 2010 EDITION
(2) SEC.II PT.A 2010 EDITION
(3) SEC.II PT.A 2010 EDITION
(4) For products machined directly from bar refer to ASTM A479.
(5) For products machined directly from bar refer to ASTM A479.
(6) Chemical analysis only.
(7) * ISO 15156-3

Qualità: 304/304L
Werkstoff/Grade/Qualität

Marca: AISI
Markenbezeichnung/Brand/Qualität

Pos. nr. Pos. nr. N. de poste	Oggetto Gegenstand Product description Description du produit	Dimensioni - In Abmessungen Dimension Dimension	Tolleranza Toleranz Allowance Tolérance	Lunghezza - In Länge Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Losnr. Lot nr. Lot. nr.
0060	Fiat	2,5000 x 0,7500	484-09	144 / 157	252919		2.015	126400580

TEST ALLO STATO DI FORNITURA										
Test on delivery condition Prüfung auf lieferbarem produkt test a l'etat de fourniture Prueba sobre el material así como entregado										
TEST	Provetta/Probestab Spekimen/Eprouvette Larg. diam. Spoke Bore Diam. Dia Width Diam. Thickness Larg. diam. epale mm	°F	Pezzi Saggio Proben Liquide Echantillon 1)	Snerimento Bruchgrenze Yield Stress Unité élastique Rp 0,2% k.s.l.	Snerimento Bruchgrenze Yield Stress Unité élastique	Resistenza Zugfestigkeit Tensile strength Resistance à traction Rm k.s.l.	Allungamento Bruchdehnung Elongation Allongement E 4d %	Strizione Bruchdehnung Reduction of area Striction RA %	Resilienza Kerbschlagarbeit Impact Value Resilience	Durezza Härte Hardness Dureté HB
Valori richiesti 1 Anforderungen/Requisit/valores Valeurs demandées		min max		30	-	75 115	-	40	-	140 235
A	12,5	68	L	46		91	56	65		182

TEST	min	max
A Grain size for ASTM E112		6

1) L=longitudinale/länge, T=transversale/quer, Q=Transversale/horizontal

Mechanical properties according to ASTM A370.

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata/Heat Schmelze/Coulée	min - max 0,030	1,00	2,00	18,00 20,00	1,00	1,00	8,00 10,50	0,040	0,020 0,030	0,100	-	-	-	-
	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	Co %	P %	S %	N %			
252919	0,019	0,41	1,64	18,27	0,38	0,56	8,12	0,110	0,031	0,023	0,088			

Produced without class I-II Ozone depleting substances.
Solution heat treated free from continuous carbide network.
Annealing temperature: 1940°F for 1 h/water.
Micro and macro etch test: OK
Intergranular corrosion test per ASTM A262 pract. E: ok.
Material is DFARS Compliant

Vicenza, 24/03/11 V00008 (Mod. MCER)	Il collaudatore di stabilimento / der Werkssachverständiger / Works Inspector / L'agent d'usine M. Rizzotto	Pagina - 1 di 2
--	--	-----------------



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO17606**

Purchase Order Date 8/2/2012
PO Print Date 8/2/2012

Page Number 1 of 1

Order From :

VC-MET001

METAUX CASTLE
A.M. CASTLE & CO. (CANADA) INC. - BOX B9204 PO BOX 9100
TORONTO, ON M4Y 3A5
CA

Revised

Contact Name

Vendor Phone

Vendor Fax

Vendor Account Nbr

514 694 9575

514 695 3281

Buyer

Requisition Nbr

Tax Resale Nbr

Terms

Currency

FOB

Brigitte Golden

10127-2607

Net 30

CAD

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
2	M304B0.750X2.500	304 BAR .750 X 2.50	8/10/2012 Yes	24.00 f	Yours ppd	\$25.3000	\$607.20

Special Inst: SAME AS ABOVE

Dec 26
[Signature]

PO Total:

\$607.20

Change Nbr:

2

Change Date: 8/2/2012

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required - YES NO